



CLASS 1

# Building Product Information Sheet

**Product name:**

GIBFix One

**Product line** (the product line from which the product is customised):

GIB Adhesives and sealants

**Product description and its intended use** (measurements, materials, usage):

GIBFix One is a plasterboard to wood and metal adhesive for the installation of GIB plasterboard wall and ceiling linings. GIBFix One is water based and has a low volatile organic compound (VOC) content. Refer to the GIB Site guide for full product specs, scope of use and installation details.

GIBFix One is available in a 375ml cartridge, 600ml sausage and 4L pail

**Product identifier** (if applicable):

GIBFix One - Plasterboard to wood and metal adhesive

**Place of manufacture:**  Aotearoa New Zealand  Overseas

**Legal and trading name of the manufacturer(s):**

Winstone Wallboards Limited

**Legal and trading name of the importer** (if applicable):

**Address for service:**

STREET NAME Leonard Rd SUBURB Mt Wellington

CITY, COUNTRY Auckland Post Code 1060

**Website:** <http://www.gib.co.nz>

**Email address:** [info@gib.co.nz](mailto:info@gib.co.nz)

**Phone No.** (if applicable): 0800 100 442

**NZBN** (if applicable): N/A

**Relevant Building Code clauses:**

B2 Durability: Performance clauses B2.3.1(b) (i), (ii)

F2 Hazardous Building Materials: Performance clause F2.3.1.

**Statement on how the building product is expected to contribute to compliance:**

B2 Durability: Performance clauses B2.3.1(b) (i), (ii) GIBFix One has limited contribution to satisfying NZBC performance requirements. GIBFix One is covered by the GIB product and system warranty which is valid for a minimum 10 years from the date of purchase. The GIB product and system warranty is available on [www.gib.co.nz](http://www.gib.co.nz).

F2 Hazardous Building Materials: Performance clause F2.3.1. There are no specific requirements in order to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017. Although safe to use under normal conditions, the safety data sheet (SDS) for GIBFix One does note one hazard statement, H411 – Toxic to aquatic life with long lasting effects. See the full SDS on [www.gib.co.nz](http://www.gib.co.nz)

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

**Limitations on the use of the building product:**

GIB Fix adhesives can not replace mechanical fixings in GIB Fire Rated systems. GIBFix One must be used within its scope of application.

GIBFix One cannot replace GIBFix All-bond adhesive when used around door openings on internal walls for the GS2-NOM specification in GIB EzyBrace systems. Refer to the GIB EzyBrace systems manual for details.

**Design requirements that would support the use of the building product:**

Specific applications, design and installation instructions, are outlined in the following technical literature.

GIB Site Guide, 2018

GIB EzyBrace Systems, 2016, and associated BRANZ Appraisal No.928 [2016]

**Installation requirements:**

Installation details are contained in the technical literature as listed under the design requirements above.

**Maintenance requirements:**

There are no specific maintenance requirements for GIBFix One when installed in GIB plasterboard systems erected in accordance with the design and installation requirements above.

**Is the building product/building product line subject to warning or ban under section 26?:**

Yes  No

**If yes, description of the warning or ban under section 26:**

N/A

**Date:**

-		-		
---	--	---	--	--