



CLASS 1

# Building Product Information Sheet

**Product name:**

GIB Gapfiller

**Product line** (the product line from which the product is customised):

Multipurpose acrylic gapfiller (white)

**Product description and its intended use** (measurements, materials, usage):

GIB Gapfiller is a multipurpose gap filler suitable for use on brick, timber, plasterboard, concrete, glass and ceramic tiles. GIB Gapfiller provides excellent adhesion in gaps and is ideal for use on architraves, skirting, is paintable and has a low volatile organic compound (VOC) content. For full product details and scope of use, refer to [www.gib.co.nz](http://www.gib.co.nz) or the GIB Site guide.

GIB Gapfiller is available in 300ml cartridges

**Product identifier** (if applicable):

GIB Gapfiller - Multipurpose acrylic gapfiller (white)

**Place of manufacture:**  Aotearoa New Zealand  Overseas

**Legal and trading name of the manufacturer(s):**

Winstone Wallboards Limited

**Legal and trading name of the importer** (if applicable):

N/A

**Address for service:**

STREET NAME Leonard Rd SUBURB Mt Wellington

CITY, COUNTRY Auckland POSTCODE 1060

**Website:**

<http://www.gib.co.nz>

**Email address:**

[info@gib.co.nz](mailto:info@gib.co.nz)

**Phone No.** (if applicable):

0800 100 442

**NZBN** (if applicable):

N/A

**Relevant Building Code clauses:**

B2 Durability: Performance clauses B2.3.1(c) (i), (ii)

F2 Hazardous Building Materials: Performance clause F2.3.1.

**Statement on how the building product is expected to contribute to compliance:**

B2 Durability: Performance clauses B2.3.1(c) (i), (ii) GIB Gapfiller is not a critical component of GIB performance systems and therefore has limited contribution to satisfying NZBC performance requirements. GIB Gapfiller is covered by the GIB product and system warranty which is valid for a minimum 10 years from the date of purchase. The GIB product and system warranty is available on [www.gib.co.nz](http://www.gib.co.nz).

F2 Hazardous Building Materials: Performance clause F2.3.1. There are no specific requirements in order to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017. GIB Gapfiller is classified as non hazardous according to HSNO in NEW Zealand.

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

**Limitations on the use of the building product:**

Resistant to temperatures up to 80°C. Do not apply below 5°C. Refer to the relevant technical literature listed below for full conditions of use.

GIB Gapfiller is not a critical component of GIB performance systems and therefore has limited contribution to satisfying NZBC performance requirements.

**Design requirements that would support the use of the building product:**

Specific applications, design and installation instructions, are outlined in the following technical literature.

GIB Site Guide, 2018

GIB Product and Systems Warranty

**Installation requirements:**

Installation details are contained in the technical literature as listed under the design requirements above.

**Maintenance requirements:**

There are no specific requirements for maintenance when used and installed in accordance to the relevant GIB technical literature.

**Is the building product/building product line subject to warning or ban under section 26?:**

Yes  No

**If yes, description of the warning or ban under section 26:**

N/A

**Date:**

	-			-			
--	---	--	--	---	--	--	--