



CLASS 1

Building Product Information Sheet

Product name:

GIB-Cove® cornice

Product line (the product line from which the product is customised):

GIB plaster cornice

Product description and its intended use (measurements, materials, usage):

GIB-Cove® are decorative and functional plaster cornices which integrate well with GIB® plasterboard wall and ceiling linings. GIB-Cove® also creates a stable system that ties walls and ceilings together, minimizing the chance of joints cracking.

See the GIB-Cove® Selector Chart for full product range and specs, available on www.gib.co.nz. Refer to the GIB Site guide for installation details.

Product identifier (if applicable):

GIB branding and product details on packaging

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Winstone Wallboards Limited

Legal and trading name of the importer (if applicable):

Winstone Wallboards Limited

Address for service:

STREET NAME Leonard Rd SUBURB Mt Wellington

CITY, COUNTRY Auckland POSTCODE 1060

Website: <http://www.gib.co.nz>

Email address: info@gib.co.nz

Phone No. (if applicable): 0800 100 442

NZBN (if applicable): N/A

Relevant Building Code clauses:

B2 Durability: Performance clauses B2.3.1(a) (i), (ii), and (iii), and B2.3.2.

C3 Fire affecting areas beyond the fire source. Fire-resistance - GIB Fire Rated systems are designed to limit the spread of fire by providing passive fire-resistance to ensure life safety and adjacent property protection.

F2 Hazardous Building Materials: Performance clause F2.3.1.

G6 Airborne and impact sound: Performance Clause G6.3.1 and G6.3.2

Statement on how the building product is expected to contribute to compliance:

B2 Durability: Performance clauses B2.3.1(a) (i), (ii), and (ii), and B2.3.2. Based on material properties and history of use, GIB-Cove has been assessed to have a durability of at least 50 years when used within a specified GIB performance system and under normal conditions dry internal use. GIB-Cove Bond must be installed in accordance with the GIB Site guide and relevant GIB systems manual.

C3 Fire affecting areas beyond the fire source. Fire-resistance - GIB Fire Rated systems have been tested or assessed for application in wall and floor/ceiling assemblies subjected to AS 1530.4 Part 4: Fire-resistance tests for elements of construction, and contributes to providing a fire resistance rating (FRR) when used in fire-rated assemblies published in GIB Fire Rated Systems technical literature. Refer to the GIB Fire rated systems manual for systems specifications that may require protection of wall/ceiling junctions using GIB-Cove cornices adhered using GIB-Cove Bond.

F2 Hazardous Building Materials: Performance clause F2.3.1. There are no specific requirements in order to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017. The GIB-Cove is classified as a non hazardous building material.

G6 Airborne and impact sound: Performance Clause G6.3.1 and G6.3.2. Wall/ceiling junctions in GIB Noise Control systems which provide code compliant sound transmission class (STC) and impact insulation class (IIC) ratings may require finishing with GIB Cove adhered with GIB-Cove Bond. Refer to the GIB Noise Control systems manual for details.

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

This document covers the entire range of architectural profiles available for GIB-Cove® including, GIB-Cove® Classic, Mezzo, Tenor and Basso.

Design requirements that would support the use of the building product:

Specific applications, design and installation instructions, are outlined in the following technical literature.

GIB Site Guide, 2018

GIB Noise Control Systems, 2017, and associated BRANZ Appraisal No.394 [2017]

GIB Fire Rated Systems, 2018, and associated BRANZ Appraisal No.298 [2018]

GIB Product and Systems Warranty

Installation requirements:

Installation details are contained in the technical literature as listed under the design requirements above.

Maintenance requirements:

There are no specific requirements for maintenance of GIB-Cove when installed in accordance to literature listed in the design requirements section of this document.

Is the building product/building product line subject to warning or ban under section 26?:

Yes No

If yes, description of the warning or ban under section 26:

N/A

Date:

| | | | | | |
|---|--|---|--|--|--|
| - | | - | | | |
|---|--|---|--|--|--|